

CCC PARAMETERS

Max. Temperature hot

70°C

• Min. Temperature cold

20°C

Humidity range

0-100%

Chamber capacity

1000

- Corrosion test types
 - ✓ Climatic
 - ✓ Salt spray
 - ✓ Humidity soak








CCC ADVANTAGES

- Testing the samples in parallel = Less testing time
- Possibility to program different test steps involving temperature, humidity and salt spray conditions.
- Chamber is hermetic but it has some cable glands which allows us to supply fans, led lights and other samples if it is necessary.
- Data acquisition of:
 - Temperature at different points of chamber
 - Relative humidity








TEST BENCH





TEST EXEMPLE DATA


Corrosion cycle





TEST EXEMPLE DATA







DESCRIPTION OF SOME TEST BENCH

DO YOU NEED MORE TOOLS? ANOTHER SPECIFIC TEST? DO NOT HESITATE TO ASK US ABOUT!

In **Samar**TEST, we have experience in testing sector. We have an experienced team and high-qualified collaborators that could find the solution you need.



LOCATION AND CONTACT INFORMATION

C17-EXIT

Llerona

Location

C/ Suècia, nau 1, Pol. Ind. Pla de Llerona

Les Franqueses del Vallès, 08520, Barcelona

Catalunya, Spain

Website

www.samartest.com

Contact

Tel. 0034 93 861 50 18


E-mail: info@samartest.es

France Contact:

Christophe Ernoult

Tel. 0033 7 60 65 31 19

E-mail: christophe.ernoult@agentest.fr





Camartest

FOR TESTING YOUR BEST



C/ Suècia, nau 1, Pol. Ind. Pla de Llerona Les Franqueses del Vallès, 08520, Barcelona Tel. 0034 93 861 50 18





